#### **Product Data Sheet**



# introduction

#### < STANDARDS >



ASTM D1784 ASTM D2466 ASTM D2467 ASTM D2464 ASTM F1498



ANSI B1.20.1 ANSI B16.5 The IPEX VR Piston Check Valve is an ideal solution for process back-flow prevention. These valves feature all PVC high performance components allowing for increased flow rate yet a low-return pressure for positive seal. With installation possible in both horizontal and vertical orientations, the top-entry design provides for simple in-line maintenance. VR Piston Check Valves are part of our complete systems of pipe, valves, and fittings, engineered and manufactured to our strict quality, performance, and dimensional standards.

#### **Valve Availability**

Body Material: PVC

Size Range: 1/2" through 4"

Pressure: 232 psi (1/2" to 1"), 150 psi (1-1/4" to 2"),

90 psi (3" to 4")

Seals: EPDM, or Viton® (FPM)

End Connections: Socket (IPS), Threaded (FNPT), Flanged (ANSI 150)



### Sample Specification



#### 1.0 Check Valves - VR

#### 1.1 Material

- The valve body, end connectors, and unions shall be made of PVC compound which shall meet or exceed the requirements of cell classification 12454 according to ASTM D1784.
- This compound shall comply with standards that are equivalent to NSF Standard 61 for potable water.

#### 1.2 Seals

- The o-ring seals and shutter shall be made of EPDM which shall comply with standards that are equivalent to NSF Standard 61 for potable water.
- or The o-ring seals and shutter shall be made of Viton® (FPM) which shall comply with standards that are equivalent to NSF Standard 61 for potable water.
- **1.3** All other wetted and non-wetted parts of the valves shall comply with standards that are equivalent to NSF Standard 61 for potable water.

#### 2.0 Connections

#### 2.1 Socket style

 The IPS socket PVC end connectors shall conform to the dimensional standards ASTM D2466 and ASTM D2467.

#### 2.2 Threaded style

 The female NPT threaded PVC end connectors shall conform to the dimensional standards ASTM D2464, ASTM F1498, and ANSI B1.20.1.

#### 2.3 Flanged style

 The ANSI 150 flanged PVC end connectors shall conform to the dimensional standard ANSI B16.5..

#### 3.0 Design Features

- Valve sizes 1/2" through 2" shall have true union ends.
- Valve sizes 3" through 4" shall have either socket or threaded ends.
- All valves shall be y-pattern globe style in design.
- All valves shall be gravity operated.
- The weight shall be totally encapsulated inside the piston.
- The valve shall function in both horizontal and vertical lines with no minimum column requirements.
- Servicing of the valves shall be possible without removal from the line.



### Sample Specification (cont'd)



www.ipexinc.com

#### 3.1 Pressure Rating

- Valve sizes 1/2" through 1" shall be rated at 232 psi at 73°F.
- Flanged valve sizes 1/2" through 1" shall be rated at 150 psi at 73°F.
- Valve sizes 1-1/4" through 2" shall be rated at 150 psi at 73°F.
- Valve sizes 3" through 4" shall be rated at 90 psi at 73°F.

#### 3.2 Markings

 All valves shall be marked to indicate size, material designation, and manufacturers name or trade mark.

#### 3.3 Color Coding

• All PVC valves shall be color-coded dark gray.

4.0 All valves shall be Xirtec® 140 by IPEX or approved equal.



#### Valve Selection



Size	Body	O-ring	IF	PEX Part Numb	er	Pressure
(inches)	Material	Material	IPS Socket	FNPT Threaded	ANSI Flanged	Rating
1/2	PVC	EPDM	053	346	053879	
1/2	FVC	Viton®	053	289	053885	232 psi
3/4	PVC	EPDM	053	347	053880	for S/T
3/4	FVC	Viton®	053	290	053886	150 psi
1	PVC	EPDM	053	348	053881	for F
1	PVC	Viton®	053	291	053887	
1-1/4	PVC	EPDM	053	349	053882	
1-1/4	PVC	Viton®	053292		053888	
1-1/2	PVC	EPDM	053	053350		1EO noi
1-1/2	PVC	Viton®	053	293	053889	150 psi
2	PVC	EPDM	053	351	053884	
۷	PVC	Viton®	053	294	053890	
3	PVC	EPDM	053295	053352	053925	90 psi
4	PVC	EPDM	053296	053353	053926	30 bai

Note: Sizes 3" and 4" are not true union style.


Size (inches):						
	1/2		1-1/2			
	3/4		2			
	1		3			
	1-1/4		4			
Se	als:					
	EPDM					
	Viton® (FPM)					
En	d Connecti	ons	<b>s</b> :			
	Socket (IPS	S)				
	Threaded (	FNP	T)			
	Flanged (ANSI 150)					
IPEX Part Number:						




#### **Technical Data**




### dimensions



	IPS Socket Connections - Dimension (inches)								
Size	d	L	Z	Н	Е	В	$A_{MAX}$		
1/2	0.84	0.63	4.06	5.31	2.17	2.83	4.92		
3/4	1.05	0.75	4.72	6.22	2.60	3.31	5.71		
1	1.32	0.87	5.20	6.93	2.95	3.74	6.50		
1-1/4	1.66	1.02	6.10	8.15	3.43	4.37	7.48		
1-1/2	1.90	1.22	7.13	9.57	3.94	4.72	8.27		
2	2.38	1.50	8.72	11.73	4.72	5.47	9.45		



	Female NPT Threaded Connections - Dimension (inches)								
Si	ze	R	L	Z	Н	Е	В	A <sub>MAX</sub>	
1/	/2	1/2-NPT	0.59	4.45	5.63	2.17	2.83	4.92	
3/	/4	3/4-NPT	0.64	5.02	6.30	2.60	3.31	5.71	
1	L	1-NPT	0.75	5.70	7.20	2.95	3.74	6.50	
1-1	L/4	1-1/4-NPT	0.84	6.74	8.43	3.43	4.37	7.48	
1-1	1/2	1-1/2-NPT	0.84	7.57	9.25	3.94	4.72	8.27	
2	2	2-NPT	1.01	9.20	11.22	4.72	5.47	9.45	




	ANSI 150 Flanged (Vanstone) Connections - Dimension (inches)								
Size	# holes	f	F	Н	В	$A_{MAX}$			
1/2	4	5/8	2-3/8	7.13	2.83	4.92			
3/4	4	5/8	2-3/4	8.16	3.31	5.71			
1	4	5/8	3-1/8	9.05	3.74	6.50			
1-1/4	4	5/8	3-1/2	10.34	4.37	7.48			
1-1/2	4	5/8	3-7/8	12.07	4.72	8.27			
2	4	3/4	4-3/4	14.48	5.47	9.45			




### Technical Data (cont'd)




#### dimensions cont'd



IPS Socket Connections - Dimension (inches)								
Size	R	L	Z	Н	Е	В	$A_{MAX}$	
3	3.50	2.01	6.30	10.31	4.57	7.56	12.80	
4	4.50	2.40	7.99	12.80	5.43	9.09	15.16	



	Female NPT Threaded Connections - Dimension (inches)								
Size	R	L	Z	Н	Е	В	$A_{MAX}$		
3	3-NPT	1.31	7.69	10.31	4.57	7.56	12.80		
4	4-NPT	1.55	9.70	12.80	5.43	9.09	15.16		



ANSI 150 Flanged (Vanstone) Connections - Dimension (inches)							
Size	# holes	f	F	Н	В	$A_{MAX}$	
3	4	3/4	6	12.81	7.56	12.80	
4	8	3/4	7-1/2	15.62	9.09	15.16	




### Technical Data (cont'd)



Approximate Weight (Ibs)							
Size	IPS Socket	FNPT Threaded	ANSI Flanged				
1/2	0.50	0.51	0.90				
3/4	0.86	0.86	1.44				
1	1.34	1.33	2.12				
1-1/4	2.03	2.05	3.04				
1-1/2	2.94	2.96	4.14				
2	5.10	5.18	6.98				
3	9.99	9.96	13.73				
4	15.81	15.36	21.80				

## pressure – temperature ratings





7 of 16

#### Technical Data (cont'd)





The flow coefficient (Cv) represents the flow rate in gallons per minute (GPM) at 68°F for which there is a 1 psi pressure drop across the valve in the fully open position. These values are determined from an industry standard testing procedure which uses water as the flowing media (specific gravity of 1.0). To determine specific flow rate and pressure loss scenarios, one can use the following formula:

f = sg	$X \left( \frac{Q}{C_V} \right)$	$\right)^2$
--------	----------------------------------	-------------

Where,

f is the pressure drop (friction loss) in psi,


sg is the specific gravity of the fluid,

Q is the flow rate in GPM,

 $C_V$  is the flow coefficient.

Size	CV
1/2	7.70
3/4	14.4
1	26.3
1-1/4	39.2
1-1/2	58.5
2	91.0
3	182
4	245

## pressure loss chart






#### Technical Data (cont'd)


## minimum back pressure to seal

P (psi)
0.21
0.28
0.50
0.50
0.50
0.50
0.50
0.50



## minimum pressure to open

Size (inches)	P (psi)
1/2	0.12
3/4	0.13
1	0.20
1-1/4	0.25
1-1/2	0.26
2	0.30
3	0.32
4	0.35






9 of 16

## **Components**

sizes 1/2" through 2"




#	Component	Material	Qty
1	body	PVC	1
2	piston	PVC	1
3	bonnet	PVC	1
4	o-ring seal	EPDM or Viton®	1
5	flat gasket	EPDM or Viton®	1
6	lock nut	PVC	1
7	split ring	PVC	1
8	socket o-ring	EPDM or Viton®	2
9	end connector	PVC	2
10	union nut	PVC	2




www.ipexinc.com Canada Toll Free: 866-473-9462

## Components (cont'd)

sizes 3"






#	Component	Material	Qty
1	body	PVC	1
2	piston	PVC	1
3	bonnet	PVC	1
4	o-ring seal	EPDM or Viton®	1
5	flat gasket	EPDM or Viton®	1




Canada Toll Free: 866-473-9462

## Components (cont'd)

sizes 4"






#	Component	Material	Qty
1	body	PVC	1
2	piston	PVC	1
3	bonnet	PVC	1
4	o-ring seal	EPDM or Viton®	2
5	flat gasket	EPDM or Viton®	1
6	lock nut	PVC	1
7	split ring	PVC	1



www.ipexinc.com Canada Toll Free: 866-473-9462

#### Installation Procedures





#### True Union Style

- 1. For socket and threaded style connections, remove the union nuts (part #10 on previous pages) and slide them onto the pipe. For flanged connections, remove the union nut / flange assemblies from the valve.
- 2. Please refer to the appropriate connection style sub-section:
  - a. For socket style, solvent cement the end connectors (9) onto the pipe ends. For correct joining procedure, please refer to the section entitled, "Joining Methods Solvent Cementing" in the IPEX Industrial Technical Manual Series, "Volume I: Vinyl Process Piping Systems". Be sure to allow sufficient cure time before continuing with the valve installation.
  - b. For threaded style, thread the end connectors (9) onto the pipe ends. For correct joining procedure, please refer to the section entitled, "Joining Methods Threading" in the IPEX Industrial Technical Manual Series, "Volume I: Vinyl Process Piping Systems".
  - c. For flanged style, join the union nut / flange assemblies to the pipe flanges. For correct joining procedure, please refer to the section entitled, "Joining Methods Flanging" in the IPEX Industrial Technical Manual Series, "Volume I: Vinyl Process Piping Systems".
- 3. Ensure that the valve is in the correct orientation, and that the socket o-rings (8) are properly fitted in their grooves. Carefully place the valve in the system between the two end connections.
- 4. Tighten both union nuts and the lock nut (6). Hand tightening is typically sufficient to maintain a seal for the maximum working pressure. Over-tightening may damage the threads on the valve body and/or the nut, and may even cause the nut to crack.


#### Non True Union Style

- 1. Please refer to the appropriate connection style sub-section:
  - a. For socket style, ensure that the valve is in the correct orientation then solvent cement the end connections of the valve body (1) to the pipe ends. For correct joining procedure, please refer to the section entitled, "Joining Methods Solvent Cementing" in the IPEX Industrial Technical Manual Series, "Volume I: Vinyl Process Piping Systems". Be sure to allow sufficient cure time before continuing with the valve installation.
  - b. For threaded style, ensure that the valve is in the correct orientation then thread the pipe ends into the valve body (1). For correct joining procedure, please refer to the section entitled, "Joining Methods Threading" in the IPEX Industrial Technical Manual Series, "Volume I: Vinyl Process Piping Systems".
  - c. For flanged style, ensure that the valve is in the correct orientation then join to the pipe flanges. For correct joining procedure, please refer to the section entitled, "Joining Methods Flanging" in the IPEX Industrial Technical Manual Series, "Volume 1: Vinyl Process Piping Systems".
- 2. Ensure that the bonnet (3, size 3") or lock nut (6, size 4") is sufficiently tightened. Hand tightening is typically sufficient to maintain a seal for the maximum working pressure. Over-tightening may damage the threads on the valve body and/or the nut, and may even cause the nut to crack.

IPEX

#### Valve Maintenance





- 2. For true union style, loosen both union nuts (10) and drop the valve out of the line. If retaining the socket o-rings (8), take care that they are not lost when removing the valve from the line.
- 3. For sizes 1/2" through 2" and 4":
  - a. Loosen the lock nut (6) bonnet (3) assembly and remove from the valve body (1).
  - b. Remove the split ring (7) to separate the lock nut from the bonnet.
  - c. Remove the o-ring seal(s) (4) from the bonnet.
- 4. For size 3":
  - a. Loosen the bonnet (3) and remove from the valve body (1).
  - b. Remove the o-ring seal (4) from the groove on the valve body.
- 5. Remove the piston (2) from the valve body and then the flat gasket (5) from the piston.
- 6. The valve components can now be checked for problems and/or replaced.

### assembly





- Note: Before assembling the valve components, it is advisable to lubricate the o-rings with a water soluble lubricant. Be sure to consult the "IPEX Chemical Resistance Guide" and/or other trusted resources to determine specific lubricant-rubber compatibilities.
- 1. Properly fit the flat gasket (5) in the groove on the piston (2) then insert into the valve body (1).
- 2. For sizes 1/2" through 2" and 4":
  - a. Properly fit the o-ring seal(s) (4) onto the bonnet.
  - b. Place the lock nut (6) over the bonnet (3) then fit the split ring (7) in the groove to lock in position.
  - c. Insert the lock nut (6) bonnet (3) assembly into the valve body and tighten.
- 3. For size 3":
  - a. Properly fit the o-ring seal (4) in the groove on the valve body.
  - b. Tighten the bonnet (3) into the valve body.
- 4. For true union style, ensure that the socket o-rings (8) are properly fitted in their grooves, place the end connectors into the union nuts (10), then tighten onto the valve body.

U.S. Toll Free: 800-463-9572

**IPEX** 

## Testing and Operating



The purpose of system testing is to assess the quality of all joints and fittings to ensure that they will withstand the design working pressure, plus a safety margin, without loss of pressure or fluid. Typically, the system will be tested and assessed in sub-sections as this allows for improved isolation and remediation of potential problems. With this in mind, the testing of a specific installed valve is achieved while carrying out a test of the overall system.

An onsite pressure test procedure is outlined in the IPEX Industrial Technical Manual Series, "Volume I: Vinyl Process Piping Systems" under the section entitled, "Testing". The use of this procedure should be sufficient to assess the quality of a valve installation. In any test or operating condition, it is important to never exceed the pressure rating of the lowest rated appurtenance in the system.

#### Important points:

- Never test thermoplastic piping systems with compressed air or other gases including air-over-water boosters.
- When testing, do not exceed the rated maximum operating pressure of the valve.
- Avoid the rapid closure of valves to eliminate the possibility of water hammer which may cause damage to the pipeline or the valve.

Please contact IPEX customer service and technical support with regard to any concern not addressed in this data sheet or the technical manual.



#### **About IPEX**

IPEX is a leading supplier of thermoplastic piping systems. We provide our customers with one of the world's largest and most comprehensive product lines. All IPEX products are backed by over 50 years of experience. With state-of-the-art manufacturing facilities and distribution centers across North America, the IPEX name is synonymous with quality and performance.

Our products and systems have been designed for a broad range of customers and markets. Contact us for information on:

- PVC, CPVC, PP, FR-PVDF, ABS, PEX and PE pipe and fittings (1/4" to 48")
- Industrial process piping systems
- Double containment systems
- Acid waste systems
- High purity systems
- Industrial, plumbing and electrical cements
- Municipal pressure and gravity piping systems
- Plumbing and mechanical pipe systems
- Electrical systems
- Telecommunications systems
- Irrigation systems
- PE Electrofusion systems for gas and water
- Radiant heating systems

**WARRANTY:** All IPEX products are guaranteed against defects resulting from faulty workmanship or materials. If any such product is found to be defective by reason of faulty workmanship or materials, upon written notice and return of the product, the defective product will be replaced by IPEX free of charge, including shipping charges for the replacement product. Claims for labour costs and other expenses required to replace such defective product or to repair any damage resulting from the use thereof will not be allowed by IPEX. Our liability is limited to the price paid for the defective product. IPEX will not be bound by any warranty, other than the above set forth, unless such warranty is in writing.

This literature is published in good faith and is believed to be reliable. However, IPEX does not represent and/or warrant in any manner the information and suggestions contained in this brochure. Data presented is the result of laboratory tests and field experience.

IPEX maintains a policy of ongoing product improvement. This may result in modification of features and/or specifications without notice.

