

Flowserve Corporation
Flow Control Division
www.flowserve.com

765 South 100 East
Provo, Utah 84606
Phone: 801 373 3078

1978 Foreman Dr.
Cookville, TN 38501
Phone: 931 432 4021

Logix Digital Positioner Accessories


SoftTools Software

Our SoftTools software package provides all tools necessary to establish communications with your Logix positioner using a personal computer via the HART protocol. The SoftTools software suite provides intuitive graphic screens for configuring the positioner with special emphasis on limits and alarms, internal PID loop tuning for dynamic performance optimization, and custom valve characterization. SoftTools is also used to view alarm conditions and enter electronic valve data stored in the Logix positioner's on-board memory.

SoftTools Version 5.0 introduces the most advanced and comprehensive set of valve and positioner diagnostics available today. The SoftTools Suite now consists of three separate editions as follows:

- SoftTools Suite LE (Lite Edition)
- SoftTools Suite SE (Standard Edition)
- SoftTools Suite ME (MUX Edition)

How to Order: contact Flowserve representative @ (801) 489-2679 for SoftTools Suite licenses and CD's.



Flowserve Corporation
Flow Control Division
www.flowserve.com

765 South 100 East
Provo, Utah 84606
Phone: 801 373 3078

1978 Foreman Dr.
Cookville, TN 38501
Phone: 931 432 4021


HART Modems

The RS232 cable modem allows easy connection between your Logix positioner and personal computer. It plugs into your computer's serial port and has two mini-grab terminals for direct connection to the Logix' test loops. The modem's six-foot cable permits flexibility in field-configuring your positioner.

How to Order: Specify part number 10078999

A PCMCIA modem (not shown) is also available for direct installation in your laptop. It features mini-grab terminals for direct connection to the Logix' test loops.

How to Order: Specify part number 10079000



HART Filter

The HART Filter may be used to prevent HART modulation from reaching your PLC, controller, or computer's 4-20 mA output port. Some controlling devices interpret the HART modulation as noise resulting in compromised valve position accuracy.

How to Order: Specify part number 10079944



Rosemount 275 HART Communicator

The Rosemount 275 HART Communicator (not shown) provides hand-held access to the Logix positioner. Pre-loaded with the Logix 1000 device description, the 275 permits configuration of most Logix parameters.

How to Order: Specify part number 10076796