

get connected with

pipe hangers



Bradford Company, Inc.

800.789.1718 • www.bradfordfittings.com

For pipe hangers, we've got quality and selection...


Cost-conscious installers of stainless steel tubing systems have long turned to **Bradford** for pipe hangers, and the lowest prices aren't the only reason. The **Bradford** name also stands for in-stock hanger selection for tubing from 1/2" – 6". Whatever the application, we have a style to fit the need at a price that doesn't leave you *hanging* out to dry.

The **Bradford** line includes two hanger styles:

- Hex pipe hangers for added flexibility in temperature variations
- Round hangers to resist movement and vibration

All types are held constantly in stock in a warehouse near you, waiting for shipment to you (or your customers) within a day of your call. Hangers are a part of our huge in-stock selection of clamps, ferrules, end caps, elbows, tees, reducers and stainless steel tube parts. If your application demands low-overhead pricing without huge inventories, **connect with Bradford**.

... without the excess overhead




round • hex


Bradford's highly polished 304 stainless steel round pipe hanger uses shaped Buna-N inserts to hold the tube. The inserts conform to the tube, cutting down on movement and vibration. Buna-N inserts have a maximum operating temperature of 225°F. This hanger is assembled with two bolts and nylock nuts. The round pipe hanger is available in 1/2" – 4" tube OD sizes. The 3/8-18NPT coupler is optional for all sizes. Viton inserts are available and are good for operating temperatures up to 400° F.

The highly polished 304 stainless steel hexagonal hanger comes in a number of configurations, depending on use or preference. The basic hanger is offered with either an ABS sleeve with a living hinge, or three Buna-N grommets to contain the tube. The hanger comes assembled with two bolts and nylock nuts. The ABS sleeve is good for operating temperatures up to 230°F. The Buna-N grommets have a maximum operating temperature of 225°F. **Bradford** offers an optional 3/8 - 18NPT coupler on either pipe hanger. The hex hanger with grommets is available from 1/2" – 6". The hex hanger with the ABS sleeve is available in 1" to 4" sizes.

stainless steel round pipe hangers B24RHP/B24RHPC			
od tube size	A	B	C
1/2"	2.75"	1.125"	.75"
3/4"	2.75"	1.125"	.75"
1"	3.31"	1.500"	.75"
1 1/2"	3.81"	2.000"	.75"
2"	4.25"	2.562"	.75"
2 1/2"	5.00"	3.000"	.75"
3"	5.50"	3.562"	.75"
4"	6.50"	4.688"	.75"




stainless steel hex pipe hangers B24RG/B24RGC			
od tube size	A	B	C
1/2"	3.375"	1.625"	.75"
3/4"	3.375"	1.625"	.75"
1"	3.375"	1.625"	.75"
1 1/2"	4.000"	2.125"	.75"
2"	4.500"	2.500"	.75"
2 1/2"	4.750"	3.125"	.75"
3"	5.500"	3.750"	.75"
4"	6.750"	4.750"	.75"
6"	9.250"	6.625"	.75"



1/2 inch & 3/4 inch use 1 inch hanger with larger grommets. 6" see Larger Materials brochure.

stainless steel hex pipe hangers B24PS/B24PSC			
od tube size	A	B	C
1"	3.375"	1.625"	.75"
1 1/2"	4.000"	2.125"	.75"
2"	4.500"	2.500"	.75"
2 1/2"	4.750"	3.125"	.75"
3"	5.500"	3.750"	.75"
4"	6.750"	4.750"	.75"




International Association of Food Industry Suppliers

800.789.1718

www.bradfordfittings.com

get connected with

Bradford Company, Inc.



clamps

end caps

hangers

ferrules

elbows

tees

laterals

reducers

valves

gaskets



Bradford Company, Inc.

PO Box 33 • Elm Grove, WI 53122-0033

262.790.0101 • 800.789.1718

fax 262.790.1046

www.bradfordfittings.com

